

(51) International Patent Classification <sup>7</sup> : C12Q 1/68		A1	(11) International Publication Number: WO 00/37684
			(43) International Publication Date: 29 June 2000 (29.06.00)
(21) International Application Number: PCT/US99/30515		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 22 December 1999 (22.12.99)			
(30) Priority Data: 09/218,166 22 December 1998 (22.12.98) US			
(63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Application US 09/218,166 (CON) Filed on 22 December 1998 (22.12.98)			
(71)(72) Applicants and Inventors: KRIS, Richard, M. [US/US]; 7064 N. Cathedral Rock Place, Tucson, AZ 85718 (US). FELDER, Stephen [US/US]; 7064 N. Cathedral Rock Place, Tucson, AZ 85718 (US).		Published <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>	
(74) Agents: ZELANO, Anthony, J. et al.; Millen, White, Zelano & Branigan, P.C., Arlington Courthouse Plaza 1, Suite 1400, 2200 Clarendon Boulevard, Arlington, VA 22201 (US).			
(54) Title: HIGH THROUGHPUT ASSAY SYSTEM USING MASS SPECTROMETRY.			
(57) Abstract			
<p>The present invention relates to compositions, apparatus and methods useful for concurrently performing multiple, high throughput, biological or chemical assays, using repeated arrays of probes. A combination of the invention comprises a surface, which comprises a plurality of test regions, at least two of which, and in a preferred embodiment, at least twenty of which, are substantially identical, wherein each of the test regions comprises an array of generic anchor molecules. The anchors are associated with bifunctional linker molecules, each containing a portion which is specific for at least one of the anchors and a portion which is a probe specific for a target of interest. The resulting array of probes is used to analyze the presence or test the activity of one or more target molecules which specifically interact with the probes. In one embodiment of the invention, the test regions (which can be wells) are further subdivided into smaller subregions (indentations, or dimples). In one embodiment of the invention, ESTs are mapped. In another embodiment, the presence of a target nucleic acid is detected by protecting the target against nuclease digestion with a polynucleotide fragment, and analyzing the protected polynucleotide by mass spectrometry.</p>			
BEST AVAILABLE COPY			